



HSM ProfiPack Packaging Machines

Produce filling material easily, profitably and in an environmentally friendly way.

50
1971-2021

HSM®

Great Products, Great People.

Transform waste economically and sustainably in high quality packaging material

The packaging machines HSM ProfiPack C400 and P425 turn used cardboard into universal packaging material that meets the highest demands – in the blink of an eye. You can do without plastic and are independent. You can save yourself expensive filling material - no storage, no handling, no costs!




Creating your own packaging material from cardboard is economical and ecological!



Used cardboard boxes are cut and padded in just one time-saving step.



The packaging material can be used wherever required – as padding mats, padded packaging or to fill up empty spaces.



Packing a wide variety of products is quick and easy. Objects are optimally protected!

The HSM ProfiPack advantages at a glance

- Solid, robust and proven construction
- Easy commissioning, intuitive operation
- Fast production of filling material tailored to your needs
- Maximum flexibility and independence through your own production of packaging and filling material
- High level of user safety
- The hardened cutting rollers are manufactured from one piece of steel and are therefore completely impervious to staples and similar soft metals
- No maintenance intervals, no follow-up costs
- Compact design / small footprint
- 2 years warranty in the case of single-shift operation; in the case of multi-shift operation, the warranty period is 6 months
- On-site service by experienced HSM customer service
- The investment pays off after a short time



Immediately economical and profitable



Ecological and sustainable



High throughput capacity



User-friendly and safe



Filling material universally applicable



Short delivery time


HSM ProfiPack is good for the environment. And good for you.



- Cardboard is a valuable raw material and should not just be thrown away
- Old cardboard boxes can be recycled and reused on site
- Sustainable action protects the environment and pays off
- There is no need for plastic filling material



The HSM ProfiPack packaging machines are robust and easy to use




Creation of compressed packaging material with a closed compression flap (HSM ProfiPack P425).



Specially hardened cutting rollers for precision cutting.



Infinitely adjustable working width for cushioning material made to measure.



Available as tabletop and stand-alone device.



Image similar

A clean affair:
The HSM ProfiPack P425 (model including adapter set for dust extraction) can optionally be operated with the HSM DE 1-8 dust extractor!



Intuitive operation with LED indicators on a robust keypad.



Learn more, scan the QR-Code.

www.hsm.eu/profipack

Perfectly packed – with HSM ProfiPack



For small and light products, padding mats from the HSM ProfiPack C400 are perfect.



For large, heavy or fragile objects, compressed packaging material or padding mats made of several layers of corrugated cardboard from the HSM ProfiPack P425 are the best choice!

HSM ProfiPack – the perfect solution for every requirement



HSM ProfiPack C400

For commercial use

- Integrated turbo-function resolves blockages
- Non-slip stand of the packaging machine
- Intuitive operation with LED indicators on a robust keypad

12 x



Example for comparison: 50/80/120 kg padding mats made of BC-wave, 1000 mm cutting length with 415 mm input width = packing quantity for approx. 12/25/37 moving boxes (external dimensions W x D x H: 600 x 330 x 340 mm)



Throughput up to 50 kg/h



HSM ProfiPack P425 (with alternating current)

For commercial or industrial use

- Fully flexible feed-in speed adjustment
- Integrated turbo-function resolves blockages
- Production of multi-layer packaging cushions
- User safety through emergency off switch
- Mobile on castors, with parking brake
- HSM DE 1-8 dust extractor for HSM ProfiPack P425 incl. adapter set for dust extraction (optional)

25 x



Throughput up to 80 kg/h



HSM ProfiPack P425 (with three-phase current)

For intensive commercial or industrial use

- Maximum cutting speed for highest throughput
- Production of multi-layer packaging cushions
- User safety through emergency off switch
- Mobile on castors, with parking brake
- HSM DE 1-8 dust extractor for HSM ProfiPack P425 incl. adapter set for dust extraction (optional)

37 x




Throughput up to 120 kg/h

Model	HSM ProfiPack C400	HSM ProfiPack P425 with alternating current	HSM ProfiPack P425 with three-phase current
Product number	1528134	1531154	1533154
Product number incl. adapter set for dust extraction	-	1531054	1533054
Recommended for	Production of single-layer packaging cushions with occasional use	Production of single and multi- layer packaging cushions in continuous operation	Production of single and multi- layer packaging cushions at maximum throughput in continuous operation
Scope of application	Tabletop device	Stand-alone device	Stand-alone device
Cutting capacity in layers	1	up to 3	up to 3
Throughput in kg/h	up to 50	up to 80	up to 120
Throughput in m³/h	up to 0.75	up to 1.5	up to 2.3
Cutting speed in m/min (mm/s)	8.1 (135)	up to 10.2 (170)	12 (200)
Noise level (idle operation) in dB(A)	68-70	60-62	63-64
Voltage / Frequency	230 V / 50 Hz	220-240 V / 50/60 Hz	400 V / 50 Hz
Intake width in mm	415	425	425
Infeed height in mm	10	20	20
Cutting size in mm (perforated)	4 x 60	6 x 100	6 x 100
Power consumption in kW	0.7	2.0	3.8
Dimensions (W x D x H) in mm	610 x 395 x 375	770 x 570 x 1040	770 x 570 x 1040
Weight / incl. adapter set in kg	47 / -	160 / 165	181 / 186

An effective combination

Small in size – highly efficient!

The HSM DE 1-8 dust extractor is specially optimized for combination with the HSM ProfiPack P425 (model including adapter set for dust extraction) in order to reliably extract loose particles when perforating the cardboard.



Suction factor x 5000

The HSM DE 1-8 dust extractor has a throughput of around 5,000 times its own physical volume of air per hour.




Pressure gauge for filter control.



The HSM DE 1-8 dust extractor has a dust collection drawer that can be easily emptied.

The advantages of the HSM DE 1-8 dust extractor:

- Portable, compact and space saving
- Low operating costs due to long life cartridge filter
- Simple manual filter cleaning: the filter can be cleaned simply by attaching compressed air
- 5 m connection cable

Model	HSM DE 1-8
Product number	2412111
Recommended for	For connection to HSM ProfiPack P425 incl. adapter set for dust extraction
Dust classification	M
Max. air volume flow in m³/h	200
Max. negative pressure in Pa	19000
Filter surface in m²	0.8
Container volume in l	1
Noise level (idle operation) in dB(A)	approx. 71
Voltage / Frequency	 220-230 V / 50-60 Hz
Driving power in kW	1
Dimensions (W x D x H) in mm	approx. 390 x 210 x 500
Weight in kg	15

These customers are convinced of HSM ProfiPack

The HSM ProfiPack packaging machines have been in use all over the world for many years – thanks to the HSM ProfiPack P425 variant with alternating current also in places where

three-phase current is not available. You can see from the following examples that the HSM machines prove themselves in daily use.



“Communication with HSM is very fast and competent. The company always strives to find an individual solution for each customer. With an HSM product, we will not only achieve the intended savings potential, but we are also pleased to be able to make a considerable contribution to the circular economy.”

Rainer Neuwirth M.A.,
founder and director of
myProduct GmbH



“The HSM Profi Pack has been a great purchase for our business. We’ve saved money and boosted our green credentials. Previously we spent EUR 80/per month on cardboard collection services as well as buying extra packing materials such as bubble wrap. The machine paid for itself within months and will be doing so for years to come.”

Simon Mallord,
Managing Director
MotorNuts Limited, UK



The following applies to all HSM ProfiPack packaging machines:
High quality materials and “Made in Germany” quality for security and durability.



The HSM ProfiPack P425 packaging machine was awarded the BENELUX Office Product Award.



Many companies use the HSM ProfiPack packaging machines.
Learn more:
www.hsm.eu/profipack

HSM – the company

Shredding and Compressing.



Since 1971, HSM has been pursuing a clear strategy – a consistent commitment to “Made in Germany” quality. This product and service quality is the key to our success in both the office technology and environmental technology business sectors. As a specialist in products and services for data protection as well as technologies for improving logistics and recycling processes, HSM is one of the world’s leading providers in these sectors.

Contact us now! We are always glad to help.

Head office in Germany:

HSM GmbH + Co. KG · Austraße 1-9 · 88699 Frickingen / Germany
Tel. +49 7554 2100-0 · Fax +49 7554 2100-160
info@hsm.eu · www.hsm.eu

E-mail / Hotline:

Gratis Hotline
DE, AT, IT, ES, BE, NL, LU
Tel. 00800 44 77 77 66

HSM Vertrieb Deutschland
deutschland@hsm.eu

HSM Vertrieb Österreich
austria@hsm.eu

HSM Vertrieb Schweiz
schweiz@hsm.eu

HSM Verkoop België, Nederland,
Luxemburg
benelux@hsm.eu

HSM Commerciale Italia
italia@hsm.eu

HSM Ventas Portugal
iberia@hsm.eu

HSM subsidiaries:

HSM Técnica de Oficina y
Medioambiente España, S.L.U.
Calle de José Echegaray, 10
28100 Alcobendas, Madrid
Spain
Tel. +34 91 103 4859
Fax +34 91 103 4858
iberia@hsm.eu
www.hsm.eu

HSM France SAS
Parc de Genève
240, Rue Ferdinand Perrier
69800 Saint-Priest
France
Tél. +33 472 210580
Fax +33 472 517481
france@hsm.eu
www.hsm.eu

HSM (UK) Ltd.
14 Attwood Road / Zone 1
Burntwood Business Park
Burntwood · Staffordshire
WS7 3GJ
United Kingdom
Tel. +44 1543 272-480
Fax +44 1543 272-080
sales.uk@hsm.eu
www.hsm.eu

HSM Polska Sp. z o.o.
ul. Emaliowa 28
02-295 Warsaw
Poland
Tel. +48 22 862-2369
Fax +48 22 862-2368
handlowy@hsm.eu
www.hsm.eu

HSM of America LLC
419 Boot Road
Downingtown, PA 19335
USA
Tel. +1 484 237-2308
+1 800 613-2110
Fax +1 484 237-2309
customerservice@hsm.us
info@hsm.us
www.hsm.us

HSM China Ltd.
Room 504, Building C
Hangcheng Guangchang
Nanfaxin Town
Shunyi District
Beijing, PRC, 101300
China
Tel. +86 10 61429168
Fax +86 10 61429169
info@hsm-china.cn
www.hsm-china.cn